



x ´ † í î 7•

Í Ó Ò ¢

©2015

ù ^

í î ¢

RG-SMP_2.66_Build20151217

— ñ + »

-
-
-

Đ u 4

- <http://www.ruijie.com.cn/>
- <http://webchat.ruijie.com.cn>
- <http://www.ruijie.com.cn/service.aspx>
- 7 24 4008-111-000
- <http://bbs.ruijie.com.cn/portal.php>
- 4008111000@ruijie.com.cn

1 ù ^

RG-SMP

RG-SMP

RG-SMP

2 x ù Õ Õ

RG-SMP

PC

2.1 F ^ u V

2.1.1 P < F å

✧	CPU	3GHz
✧		4G
✧		400G
✧		1000M

2.1.2 Â z F å

✧	CPU	2GHz
✧		2G
✧		80G
✧		100M

2.2 ÷ ^ u V

✧

- | | | | |
|----|--|---------|-------------------|
| 1) | Microsoft Windows Server 2003 32/64 | Edition | |
| 2) | Microsoft Windows Server 2008 32/64 | Edition | |
| 3) | Microsoft Windows Server 2008 R2 32/64 | / | Edition KB2577795 |
| | 5.1 | | |
| 4) | Microsoft Windows Server 2012 32/64 | / | Edition () |

✧

- | | | | |
|----|--------------------------------------|---------|---------|
| 1) | Microsoft SQL Server 2000 +sp4 32/64 | Edition | |
| 2) | Microsoft SQL Server 2005 +sp3 32/64 | Edition | |
| 3) | Microsoft SQL Server 2008 32/64 | / | Edition |
| 4) | Microsoft SQL Server 2008 R2 32/64 | / | Edition |

5) rosoft

3 x RG-SMP

3.1 x ù h Þ

RG-SMP

RG-SMP WSUS NIDS

RG-SMP “ ” >“ ” >“ / ”


RG-SMP RG-SMP :

1098	TCP	JBoss
1099	TCP	JBoss
4444	TCP	JBoss
4445	TCP	JBoss
8083	TCP	JBoss
8093	TCP	JBoss
8080	TCP	HTTP
8443	TCP	HTTPS
9090	TCP	Web Service
80	TCP	Portal HTTP HTTP
443	TCP	Portal HTTPS HTTPS
1812	UDP	Radius
1813	UDP	Radius
3930	UDP	Radius
53	UDP	RG-SA
162	UDP	Trap Inform NIDS
10000	UDP	NIDS
10001	TCP	

3.2 x © Ï

CD-ROM RG-SMP “ ”



RG-SMP RG-SMP
“ ”



IP

“ ”,

“ ”



⚠ 注意

-
- The diagram illustrates a network topology with the following components and connections:
- Nodes:**
 - Chinese_PRC_CI_AS (bottom left)
 - RG-SMP (middle left)
 - SQL Server (top center)
 - RG-SMP (top right)
 - Connections:**
 - A line connects Chinese_PRC_CI_AS to the first RG-SMP node.
 - A line connects the first RG-SMP node to the SQL Server node.
 - A line connects the SQL Server node to the second RG-SMP node.
 - A line connects the first RG-SMP node to the second RG-SMP node.

RG-SMP



⚡ 注意

- RG-SMP
- RG-SMP

“ ”


3.3 ... USB % Ý ï ì ÷ F å

USB
RG-SMP

USB

SMP

RG-SMP





“RG-SMP” [http:// IP :8080/smp/index.jsp](http://IP:8080/smp/index.jsp)

RG-SMP

◆ admin 111111111

⚠ 注意

●









3.4 ... †^ License ï ì÷ F å

3.4.1 F ^'Î†^v¤

- 1) / *.dat *.zip





4)

4 ´ RG-SMP

1

2

4.1 Õ a f G €

RG-SMP

5.1

5.2


4.2 ´ © Ì

5

1

RG-SMP


RG-SMP





2 RG-SMP

dll




3



”






4

”












6 RG-SMP



7



8 RG-SMP WEB ”

4.3 ‘âÂ> 5â

4.3.1 ‘âÂ’Îv▯

5 数据库连接池

5.1 数据库连接池 No buffer space available 问题

Windows server 2008R2

“

“

“

“

SMP

“java.net.SocketException: No buffer space available (maximum connections reached?): connect”

2.66

-

kb2577795

<https://support.microsoft.com/zh-cn/kb/2577795>


5.2 SqlServer 数据库连接池 SMP 连接池 - 问题

There is insufficient system memory in resource pool 'internal' to run this query.


6 • £ 1 RG-SMP f G € Õ a =

6.1 μ Õ a f G €

1 “ ” “ ”



2 “ ” “ ”




6.2 * SQL Server 'ò W À Õ a f G €

SQL Server 2008


SQL Server

- 1 “ ”-“ ”-“Microsoft SQL Server 2008 R2” “SQL Server Management Studio”, SQL Server





- 2 “ ”

4 “ ”_“ ”




5 “ ”






6.3 * SQL Server 'ò W À = f G €

- 1 SMP
- 2 SQL Server “ ”-“Microsoft SQL Server 2008 R2” “SQL Server Management Studio”, SQL Server






3

44 11




4 SMP







6



7 • £ 2 RG-SMP_2.1 ´ ñ RG-SMP_2.6X è ¬

7.1 ´ è ¬

V2.1 ->V2.2 ->V2.3 ->V2.6X

7.2 ´ 5 â

1 V2.1

2 V2.2

a) V2.1 V2.2 (RG-SMP V2.2-Build0427.exe) V2.1
V2.2

b) V2.2

3 V2.3

a) V2.2 V2.3 (RG-SMP V2.3-Build1022.exe) V2.2
V2.3

b)

4 V2.6X “ RG-SMP _2.6X_BuildXXXX Upgrade(From_2.0).exe ” 2.6X