



**MX-8**

©2008



- 
- - 
  -
- 

Arial

[] []

{ x|y|... }

[ x|y|... ]

//

**1.**



2.



3.



Enter a

a

1+ 2  
Alt A

Ctrl+Alt+A Ctrl

1 2

Alt F Alt

F



# 1

## 1.1

- RingMaster —
- MX MP — WLAN
- Mobility Point (MP) (RF) — MX
- Mobility System Softwar (MSS) — MP WLAN RingMaster MX

## 1.2 MX-8

MX-8                      MX

                                    MP


                                    8    10/100Mbps                      6

PoE                      12    MP



2-1 MX-8





## LED

LED		
Power		MX



	<ul style="list-style-type: none"> <li>• RFC 1591 DNS</li> <li>• RFC 2030 SNMP</li> <li>• RFC 768 UDP</li> <li>• RFC 783 TFTP</li> <li>• RFC 791 IP</li> <li>• RFC 792 ICMP</li> <li>• RFC 793 TCP</li> <li>• RFC 826 ARP</li> <li>• IEEE 802.1D Spanning Tree</li> <li>• IEEE 802.1Q VLAN tagging</li> <li>• IEEE 802.3ad (static config)</li> </ul>
	<ul style="list-style-type: none"> <li>• RFC 854 Telnet (server and client)</li> <li>• SSHv2 - Secure Shell V2</li> <li>• SNMP v1/ v2c/ v3</li> <li>• RFC 1213 MIB-II</li> <li>• RFC 1866 HTML</li> <li>• RFC 2068 HTTP</li> <li>• RFC 3164 Syslog</li> <li>• private MIB</li> <li>• IETF CAPWAP</li> </ul>
IP	<ul style="list-style-type: none"> <li>• RFC 1112 IGMP v1</li> <li>• RFC 2236 IGMP v2</li> </ul>
QoS	<ul style="list-style-type: none"> <li>• 802.1p QoS on Ethernet</li> <li>• 802.11e, Wi-Fi Multimedia (WMM)</li> <li>• SpectraLink Voice Priority (SVP)</li> <li>• RFC 2472 DiffServ precedence</li> <li>• RFC 2597 DiffServ Assured Forwarding</li> <li>• RFC 2598 DiffServ Expedited Forwarding</li> </ul>

## 2



u  
u

### 2.1



LED

MX-8

u

### 2.2

console

9600/8bit/1 stop/no pority/hardware flow control off



§

<