





**MP-71**

©2008





,  
,  
,



Arial

[] []

{ x|y|... }

[ x|y|... ]

//

**1.**



2.



3.



a

Enter a

" "

1+ 2  
" Alt" " A"

Ctrl+Alt+A " Ctrl"

1 2

Alt F Alt

F

|       |             |   |
|-------|-------------|---|
| 1     | .....       | 2 |
| 1.1   | .....       | 2 |
| 1.2   | MP-71 ..... | 3 |
| 1.3   | MP-71 ..... | 3 |
| 2     | .....       | 5 |
| 2.1   | MP-71 ..... | 5 |
| 2.2   | MP-71 ..... | 5 |
| 2.3   | MP-71 ..... | 6 |
| 3     | .....       | 8 |
| 3.1   | .....       | 8 |
| 3.2   | .....       | 8 |
| 3.2.1 | MP-71 ..... | 8 |
| 3.2.2 | MP-71 ..... | 8 |

# 1

## 1.1

2

RingMaster 2

MX

MP

WLAN

Mobility Point (MP) 2

(RF)

MX

2


Mobility System Softwar (MSS)2

Web WLAN RingMaster MX MP




IEEE 802.3af (PoE)






MP-71 LED



|  |           |     |     |
|--|-----------|-----|-----|
|  | 802.11b/g |     |     |
|  |           |     |     |
|  |           | LAN |     |
|  | /         | /   | N/A |

**2.3 MP-71**

MP-71




|  |   |
|--|---|
|  | 5V 2A DC (802.3af) ( 2)   |
|  | 0v 50v<br>-25v 70v  |
|  | 10 90   |
|  | 802.11g OFDM<br>802.11b CCK   |
|  | 802.11b/g   |
|  | 802.11b/g:<br>2.4 GHz 2.4835 GHz 2  |
|  | 100-240 VAC 47-63 Hz 1.5 A<br>48 VDC 1.2 A                                |
|  | 190mm×146mm×29mm y y  |
|  | 1kg   |
|  | IEEE 802.3 10BASE-T IEEE 802.3u 100BASE-TX 2<br>IEEE 802.11b IEEE 802.11g |

2

# 3

## 3.1



## 3.2

### 3.2.1 MP-71

1. MP-71
- 2.

### 3.2.2 MP-71

- 1.