



copyright © 2025



- 
- 
- 

- 
- 
- 
- 
- 
- 
- 

<https://www.ruijie.com.cn>

<https://www.ruijie.com.cn/fw/>

7\*24h

<https://ocs.ruijie.com.cn>

7\*24h

4008-111-000

--


<https://www.ruijie.com.cn/special/fw/tool/xryf/>



RG-AP180  
RG

802.11ax

AP



- 1 Micro USB
- 2 1.2mm
- 3 DC



- 1 PoE





	1	10/100/1000Base-T	IEEE 802.3af	802.3at	PoE
	4	10/100/1000Base-T			
	1	Micro USB	Console		
	1				
	1				





RG-AP180



AP



500m



RG-AP180

---

---

---

RG-AP180

- 
- RG-AP180
- RG-AP180  
2m

RG-AP180

RG-AP180

- 
- 
- 

RG-AP180

-10° C-45° C	5%-95%


(μ m)	0.5	1	3	5
/	1.4 x 10 <sup>7</sup>	7 x 10 <sup>7</sup>	2.4 x 10 <sup>7</sup>	1.3 x 10 <sup>7</sup>

	( mg/m3 )	( mg/m3 )
	0.2	1.5
	0.006	0.03
	0.04	0.15
	0.05	0.15
	0.01	0.3

■ / DC12V/1.0A


■ PoE 802.3af/802.3at PoE





Step2


UpLink



Step3


AP180

86





Step4

AP180




Step5



	( )



RG-AP180



- 
-




DC PoE AP

- DC PoE AP
- AP AC
- PC AP PC PoE
  
- 
- AP
  
- AP AC
- AP

- AP
- AP
- AP LINK DOWN
- (1Hz) AP LINK UP CAPWAP
- (0.4Hz) AP CAPWAP
- ( 4S ) AP

- AP AP AP
- AP AP AC




- PoE                      PoE                      802.11at
- DC

1000BASE-T/100BASE-TX/10BASE-T

MDI/MDIX Crossover


1000BASE-T	IEEE 802.3ab	100	100-ohm 5	5	UTP	STP
1000BASE-T	4	4	4	1000BASE-T		

A-1 1000BASE-T



100BASE-TX/10BASE-T	10Mbps	100-ohm 3 4 5	100Mbps
100-ohm 5	100	100BASE-TX/10BASE-T	

A-2 100BASE-





5

7

7

10

SFP+

5

10




B-1

30mm

B-2

B-3



220V

-48V

B-4



- DC 12V