

Ŧ

copyright © 2023 iHà

+C06ž

ihàpk~%yyK16B6Ag0

oelb•

õwvonnob1B89(6ž



yU iH06ž

UcU06ž(6ž

Ŧ

ÓñÆ1 D}o•Æ êÔÅ^•IÆ `cyÚ. ³ØkÎ† T Bãê¶BD}o•Æ êÔÅU
“Ó Æ1ê... 8 \$Ăož”³`cPĂ³ kiHàì+Î† Ä Ÿ`~¢PêóP Ò¢ê'sož

9Dp06žH*0P0

Agw0ž

86-.dH0UkwG

0K0Pbž

Ø W

~ À * Š

Î ô Æ ` ç K t f ¯

ðVid

Ët

à

W

iHà <https://www.ruijie.com.cn>

iH(4y <https://www.ruijie.com.cn/fw/>

iHà 7*24hZUy <https://ocs.ruijie.com.cn>

iHà 7*24hE 4008-111-000

1 C | O ”

1.1 C | ^ O

RG-MAP852

RG-MAP852		802.11ax		2.4G		575Mbps		5G
1.2Gbps				1.775Gbps				5
4	LAN	1		WAN				

RG-MAP852


1.2 C | Ø O

RG-MAP852	2	5	WAN	AP		1	Micro Usb	Console
	AM				WAN		AM	


Q¢



Q



dQ



1.3 C | ê ± ×

1.3.1 =)

	RG-MAP852
× ×	86mm×125mm×30mm

RG-MAP852						
802.11ac	VHT20	-85dBm	MCS0	-62dBm	MCS8	
802.11ac	VHT40	-82dBm	MCS0	-57dBm	MCS9	

1.4 Ce y f

		AP /
		AP AP
	2.5Hz	LED ON
	2.5Hz	AP
	0.25Hz	AP AP
	4 3.8s 0.2s	AP AP

2 G ø é Ô Ô

2.1 μ Ž `

RG-MAP852

2.2 G μ

AP

500m

2.3 ? 6 μ

2.4 Ô) μ

2.5 α μ

‘š — Ō3 o W • k — Ō ¥ ê Ě ¬ @ • • @ f ¥ “ † /ž	
18	24

2.6 G^a © é L -

RG-MAP852

2.6.1 G L -

RG-MAP852

RG-MAP852
2m

2.6.2 ù • L -

RG-MAP852

2.6.3 t ... x y ... L -

RG-MAP852

RG-MAP852


-10°C-45°C	5%-95%	-40°C-70°C


2.6.4 M Ó ... L -

(μ m)	0.5	1	3	5
--------	-----	---	---	---



MAP852





RG-MAP852

3 C | é G

RG-MAP852 AP

3.1 G W 8



3.2 G ø é \

RG-MAP852

3.3 G • é μ | ç 6 •

AP

3.4 G²

AP

AP

3.5 @ Ž ´ ° Ê

AM RG-MAP852

3.6 Ô n

Ô ø é ó Ó

AM RG-MAP852

ôô
old

AP

AP

4 ñ 0 ¢ ã


4.1 ñ 0 ×

Ce

§ AP Ó 8 Ü 6 ©4Æ • g Đ Đ T X ù Ú O ' ©4ÆCe ñ 0 f Ô é ©4Æož ñ u

5 G é n N \ m Ó Â

5.1 G \ m - Ó ù Ð W 8



5.2 n N \ m Ó Â

Ô d ©4ÆCe H

/Xg LED æCe n H

AP AP

Ð8 AP é x Ž ‘ Y

1)

2)

3) AP

4) AP

