





- 
- 
- 

- 
- 
- 
- 
- 

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

--

\_\_\_\_\_












---

	— —
	o o

---




































---

× ×	









---

---

---

| |

---



--	--	--





---

---

- 
- - 
  -

---



$\mu$		$\times$
$\mu$		$\times$

---



---

- 
-

---


- 
- 
- 

---

---

---





- 
- 
-

---

■

■


■

■

■


■

■






- 
- 



---

---

---



---

---

---


---





" "





---

■

---

---

---

---

- 
- 

- 
- 
- 


---

---

- 
- 



---






- - 
  - 
  -
-









- 
- 
- 
- 
- 
- 
- 
-

---

- 
- 
- 
- 
- 
- 

---

---

- 
- 
- 
- 

---

---

---



安装后工作不正常

检查交换机在机架中安装是否正常

检查电源的连线是否正确

检查扩展模块的安装是否到位，是否已经固定好。(如果有安装扩展模块)

检查指示灯是否正常


检查串口的连接是否正确，以及串口的参数是否正确。

检查各端口的光纤或电缆的连接是否正确

与锐捷网络的技术支持联系，检查是否是硬件问题。















--














---


---


图 C-1 电源避雷器示意图













- 
- 
- 
- 
- 



- 
-



- 
- 
- 
- 



- -
-



■

■






- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 

