



Contents

AP

AC show ap-config summary AP

```
WS18000-1811#show ap-config summary
Online AP number: 33
Offline AP number: 156

Radio  AP Name  IP/Off time  State  AP Name  IP Address  Mac Address  Radio
-----  -
1  WS18000-1811  0.0.0.0/0.0.0.0  3  0.0.0.0  WS18000-1811  00:00:00:00:00:00  0/0.0.0.0/0.0.0.0
```

第三频

AC show ac-config client

```
WS18000-1811#show ac-config client
===== show sta status =====
AP : ap name/radio id
-----
Total Sta Numr : 39

AP Name  Radio  IP Address  Mac Address  AP Name  Radio  IP Address  Mac Address
-----  -
WS18000-1811  0/0.0.0.0/0.0.0.0  00:00:00:00:00:00  WS18000-1811  0/0.0.0.0/0.0.0.0  00:00:00:00:00:00
```

mu终端



AP Web

WAN



Contents



AP730(TR)

AT

AP730(TR)

FAQ

Q AP730(TR)5G MU

A 2 1.2

Q AP730(TR) 2 MU

A 5G 4 mu

Q: AP730(TR) LAN2

A LAN2

Q: AP730(TR)

A: AP730(TR) AF AT

Q: AP730(TR) 5G 2

A: 600Mbps+

Q:AP730(TR) ip

A:

Q AP730(TR)LAN2

AP

A:

Q:AP730(TR)

A

, 2G+5G+5G

Q:AP730(TR) LAN

www.ruijie.com.cn

www.ruijie.com.cn/service.aspx