

AP740-I



Contents

POE WAN


4

MU MIMO

160M

80+80

POE WAN



		WAN		
AF	Radio1/2.4G	1	4	50%
	Radio2/5G	3	4	25%
	Radio3			1%
	AT			
USB	AT			

POE WAN

AP740-I radio 1733Mbps+800Mbps
 WDS

WAN

```
26#AC1(config-ap)#ap-interface wireport 1 port-group 1
26#AC1(config-ap)#ap-interface wireport 2 port-group 1
```

POE WAN

WEB

WAN





Contents

POE WAN

4

MU MIMO

160M 80+80

AP740-I	2.4G	5G	QCA9984	4	2.4G
		4	4		
3	4		4*4		

26#AC1(config-ap)#antenna transmit 15 radio 1

26#AC1(config-ap)#antenna receive 15 radio 1



Contents

POE WAN

4

MU MIMO

160M

80+80



MU MIMO

SU-MIMO()
 MU-MIMO ()

MU-MIMO

- 1 MU
- 2
- 3
- 4
- MU

MU
 AP



26#AC1(config-ap)#mu-mimo enable radio 2

26#AC1(config-ap)#show ac-config client

MU



Contents

POE WAN

4

MU MIMO

160M

80+80

160M 80+80

QCA9984	160M	80+80	4	
80M	2	80M		2
80M		1733Mbps	4	
80M				
2.4G		40M	5G	
160M	5.1G			

26#AC1(config-ap)#channel 36 radio 2

26#AC1(config-ap)#chan-width 160 radio 2



AP740-I

radio

WIDS

- www.ruijie.com.cn

- www.ruijie.com.cn/service.aspx

- support.ruijie.com.cn

- webchat.ruijie.com.cn

- 4008-111-000