

RG-PF2920U

PF2920U_1.0(1)B2 WEB

V1.0

2022-07-27

copyright © 2022

-
-
-

-
-
-
-
-
-
-

<http://www.ruijie.com.cn>

<http://www.ruijie.com.cn/fw/>

7*24h

<http://ocs.ruijie.com.cn>

7*24h

4008-111-000

--

<http://www.ruijie.com.cn/special/fw/tool/xryf/>

4008111000@ruijie.com.cn

APP

1.





/

3.

1 WEB

1.1

WEB chrome WEB


 / PF2920U


1.2

WEB	WEB

1.2.1 WEB

↓





1.

WEB



2.

WEB

1.3.3

1.

/

/

MAC


PoE

/



• [] < >

2.



• < > /

0

• < >

• / /

• **DDM**
<DDM > DDM

•  DDM DDM

3. POE /ARP

MAC地址	端口	端口	POE开关设置	供电状态	供电功率	IP地址
0000.1822.3369	GI0/2	GI0/1	开启	关闭	0	172.29.15.1
		GI0/2	开启	关闭	0	
		GI0/3	开启	关闭	0	
		GI0/4	开启	关闭	0	
		GI0/5	开启	关闭	0	
		共 9 条				共 1 条

● POE

[POE] < > POE
 POE POE POE

● ARP


[ARP] < > ARP



1.3.4

1.


(1)


a






b






(2) IP



a



b OUI



C



< >
< >

Voice VLAN LLDP-MED

< >

1.3.5

1.

(1) Ping



[Ping]

IP

<

>

(2)



(3) Boot




Boot



3.


(1)

a



< > config.json

< >



b



< > < >



< >

(2)




-
-

2-3

< >

config.json



-

< >

-

< >

config.json

1.3.6

1.

(1)

[]



2 CLI



CLI

2.1

" Ruijie(diag)>"

WEB

CLI




exit

2.2

CLI

reboot



2.3

show_sys_info

2-1 show_sys_info

System description	
System software version	
System software number	
System boot version	boot
System serial number	SN
System hardware version	
System mac address	mac

2.4 IPIP **ifconfig****2-2 ifconfig**

IP Addr

